

TABLE OF CONVERSION FACTORS

TO CONVERT	FROM	TO	MULTIPLY BY
Area	Square Feet (ft. ²)	Square Meters (m ²)	0.0929
	m ²	ft ²	10.764
Volume	Imperial Gallons	Liter	4.55
Imperial Gallons	Imperial Gallons	U.S. Gallons	1.20
Liter	Liter	Imperial Gallons	0.22
4.55	Liter	U.S. Gallons	0.264
	U.S. Gallons	Imperial Gallons	0.833
	U.S. Gallons	Liters	3.785
Area/Volume	ft ³ /Imp. Gallon	m ³ /Liter	0.0204
	ft ³ /U.S. Gallon	m ³ /Imp. Gallon	0.112
	ft ³ /U.S. Gallon	m ³ /Liter	0.0245
	m ³ /Imp. Gallon	m ³ /Liter	0.2197
	m ³ /Imp. Gallon	ft ³ /U.S. Gallon	8.97
	m ³ /Liter	ft ³ /Imp. Gallon	48.93
	m ³ /Liter	ft ³ /U.S. Gallon	40.76
Length	centimeters	inches	0.394
	centimeters	feet	0.0328
	feet	centimeters	30.48
	feet	meters	0.3048
	inches	centimeters	2.54
	meters	feet	3.2808
	microns	mils	0.04
	mils	microns	25.0
Weight	kilograms	pounds	2.2046
	pounds	kilogram	0.4536
Pressure	kilograms/square centimeter	pounds/ square inch	14.22
	pounds/square inch	kilograms/ square centimeter	0.0703

FIELD TANK LINING ESTIMATE SHEET

TO CONVERT	FROM	TO	CALCULATE
Temperature	Celsius	Fahrenheit	$9/5 (C^{\circ}) + 32$
	Fahrenheit	Celsius	$5/9 (F^{\circ} - 32)$
Film thickness	wet	dry	wet film thickness x percent solids by volume/100
	dry	wet	dry film thickness x 100/percent solids by volume